

SYNERGY 10 Reader

Time and Attendance data capture device with a 10" touch screen display and a host of reader technology options

Synergy 10 Reader provides a highly secure and robust method of performing a wide range of Time & Attendance and employee self-service functionality from clocking in and out and registering breaks, to requesting holiday, and checking balances.

Synergy 10 Reader is equipped with a high resolution 10" touch screen and features a choice of card/fob reader technologies, including Mifare, Proximity, HID, and HID iCLASS.





Large 10" Touch screen with instantaneous response

Designed for busy organisations, employee credentials are quickly authenticated and clear icons make it easy to select the desired option, such as clock in or clock out.

If network connectivity is lost at any time, the device will continue to operate as normal in 'offline mode' and upload its data to the cloud once connection is restored.

Quick and easy enrolment

Synergy 10 Reader is able to store the credentials of large numbers of employees, making it suitable for even the largest of workforces.

Employees can be enrolled at any Synergy 10 Reader installed across your solution, or via an optional enroller connected to a PC.

Supports a wide range of card and fob technologies

Synergy 10 Reader supports a wide range of card and fob technologies, including Mifare, Proximity, HID and HID iCLASS, as well as PIN entry via the device's touch screen. You can also add an additional layer of security by combining authentication methods.







The perfect

Synergy 10 Reader is seamlessly integrated with 'Synergy Workforce', Synel's own leading cloud-based workforce management software platform.

Users of the 'Synergy Projects' module in particular benefit from the large touch-screen display, which makes it easy to input activity codes, and the front facing camera that can be used to scan activity barcodes. A separate USB barcode reader can also be connected to the device.

Workforce Management Solutions



Flexible and highly customisable T&A and HR solution to satisfy even the most complex work-rules and work-flow requirements.

Synergy T&A seamlessly integrates with leading third-party providers to deliver accurate time & attendance information for HR and Payroll systems.

Part of the Synergy range

of data capture devices



Measure efficiency and analyse time spent on, and cost to complete, specific tasks or activities.

Brings time costing and activity tracking to workers operating in the field with geo-location capability



Store documents safely and securely in the cloud and attach to specific employee records.

Compatible with third-party software platforms

Synergy 10 Reader is also compatible with a host of third-party workforce management platforms.

Warranty

Synergy 10 Reader comes with a comprehensive return to base warranty as standard and options for ongoing warranty with a Synel Support Package.

Please contact us for more details





SYNERGY 5 READER

((•))

SYNERGY 5 FINGERPRINT



SYNERGY 5 FACE



SYNERGY 5 DUAL



SYNERGY 10 READER



SYNERGY 10 FINGERPRINT



SYNERGY 10 FACE



Features		Synergy 10 Reader
General	Operating System	Android
	Processor	RK3288 quad-core Cortex-A17, 1.6GHz
	Protocol	SCP. SFTP, HTTP/HTTP, 802.1x secured
	Memory	2GB DDR
	Storage capacity	16GB (expandable to 32 GB)
	Speaker	1-way, 80hm, 1.5W
	Contactless buttons	Yes (optional)
Display	Size	10.1" TFT LCD Touchscreen
	Resolution	1290 x 800
	Brightness	300cd/m ²
	Contrast	1000:1
	Colours	16M
	Touchscreen	5 point capacitive. <48ms response,> 6H hard- ness, 85% luminescence
	Camera	Yes, 2MP
Front panel	Keypad	Keypad via touchscreen
	Supplementary lighting	-
Verification	Card/Fob reader	Yes - Mifare (13.56MHz), Proximity (125KHz), HID, HID iCLASS options
	Card/Fob read distance	Mifare : 2.5 to 10 cm Proximity : 0 to 5 cm
	Card/Fob read speed	<1 sec
	PIN	Yes
	QR Code	Yes via front facing camera
	Barcode	Handheld via USB (sold separately)
	Fingerprint	-
	Facial Recognition	-
Capacity	Fingerprint template capacity	-
	Facial Recognition template capacity	-



Features		Synergy 10 Reader
Data & Network	Data Transmission Protocols	Ethernet, 10/100/1000 adaptive, TCP/IP, UDP
	Network Interface	10/100 Base-T Ethernet
	Wifi	Standard - IEEE802.11 b/g/n (2.4G)
	GPRS 4G	Optional
Connectivity	Rear ports	1-way relay output, 1-way door button 1-way magnetic input, 1-way Wiegand input (Wiegand 26, 34, 66), 1-way Wiegand output (Wiegand 26, 34, 66), 1-way USB
Physical and Environmental	Power	12V DC, 3A
	PoE rating	IEEE802.3BT
	Battery backup	Yes - Standby 2H15Min, Operating 1H50Min (Polymer lithium battery)
	Operating temperature	0-50°C, humidity 10%-90% (non-condensing)
	Mouting options	Wall mount
	Dimensions (W x H x D)	310 x 175 x 32mm
	Certification	CE, FCC, TUV, RoHS



	Synergy 10 Reader WIFI - Non-biometric, card reader only and WIFI
Ordering information	30001945 Synergy 10 Reader WIFI - 10" touch screen with Mifare reader (read only) and self-service capabili- ties. PoE and battery back-up, WIFI, black case
	30001935 Synergy 10 Reader WIFI - 10" touch screen with Proximity reader and self-service capabilities. PoE and battery back-up, WIFI, black case
	30001965 Synergy 10 Reader WIFI - 10" touch screen with HID reader and self-service capabilities. PoE and battery back-up, WIFI, black case
	30001975 Synergy 10 Reader WIFI - 10" touch screen with HID iCLASS reader and self-service capabilities. PoE and battery back-up, WIFI, black case

FINGERPRINT AND FACIAL RECOGNITION DEVICES ARE ALSO AVAILABLE IN THE SYNERGY 10 RANGE



Synel is an end-to-end supplier of workforce management solutions offering design, installation, commissioning, and on-going support to deliver complete peace of mind to its customers.

> www.synel.co.uk Tel: +44 (0)208 900 9991 sales@syneluk.com

DATASHEET SYNER

SYD-0054-02